

~~SECRET~~

TOP SECRET
16 NOV
1141Z

25X1

25X1

[REDACTED] INFO [REDACTED] CITE [REDACTED] 1965

25X1

25X1

25X1

[REDACTED] LOGS SECUR

25X1

25X1

1. [REDACTED] C-94 ARRIVED [REDACTED] 14 NOVEMBER WITH HT-
AUTOMAT 3 CARGO ADDRESSED [REDACTED] BASE. MANY BOXES PLAINLY
STENCILED PHOTOGRAPHIC SUPPLIES OR EQUIP. CARGO LOADED
[REDACTED] BY INDIGENOUS PERSONNEL. [REDACTED] HANDLED
SHIPMENT AND INSTRUCTED AIRCRAFT COMMANDER DELIVER ALL CARGO
TO BASE SUPPLY OFFICE [REDACTED], WHICH ACCOUNTABLE, FOR SUB-
SEQUENT ISSUE [REDACTED] HOWEVER, WHEN SAW CARGO MARKINGS
DURING LOADING. [REDACTED] INTERVENED AND SUGGESTED CARGO BE
OFF LOADED [REDACTED] AREA FOR SECURITY REASONS. [REDACTED]
CONCURRED.

25X1

25X1

25X1

25X1

25X1

2. VIEW NATURE OF EQUIP, ABOVE SHIPPING AND ACCOUNTABILITY
PROCEDURE COMPROMISING SINCE NOT CONSISTENT [REDACTED]

25X1

25X1

[REDACTED] WITHHOLDING FROM BASE SUPPLY
OFFICE SHIPPING DOCUMENTS AFFIXED CARGO UNTIL CLARIFICATION
RECEIVED. ALSO SUGGEST [REDACTED] HOLD UP ANY CONTEMPLATED
SEPARATE COVER SHIPMENT BILLS OF LADINGS, WITH STOCK RECORD
NUMBERS OR DESCRIPTIVE INFO, TO [REDACTED] BASE SUPPLY OFFICE.

25X1

25X1

25X1

3. VIEW SECURITY PROBLEM, IF HQS CONCURS SUGGEST [REDACTED]
INFORM [REDACTED] NATURE OUR CONCERN AND SUGGEST LATTER TAKE

25X1

A. IN FUTURE SHIPMENTS TO HTA 3, INSURE MARKINGS CRATES
REFERRING TO PHOTO EQUIP OR SUPPLIES ARE ELIMINATED.

B. CHANGE ACCOUNTABILITY ABOVE AND SUBSEQUENT SHIPMENTS
SIMILAR CARGO, WHICH NOT COMPATIBLE COVER STORIES, FROM
[] BASE SUPPLY OFFICE TO [] AND GIVE SHIPMENTS
SPECIAL HANDLING.

25X1
25X1

25X1

C. IF PARA THREE B ACCEPTABLE, [] CONCUR IN
[] WITHHOLDING SHIPPING DOCUMENTS CARGO PARA 1 ABOVE
FROM [] BASE SUPPLY OFFICE.

25X1
25X1

25X1

D. [] TO REFRAIN FROM SENDING SEPARATE COVER
SHIPPING DOCUMENTS ABOVE SHIPMENT TO [] BASE SUPPLY
OFFICE IF PARA 3 B ACCEPTABLE PROCEDURE.

25X1

4. PLS ADVISE.

25X1

25X1

25X1

CPM 414 1965 [] LOGS SECUR [] C-54 []

25X1

14 HTAUTOMAT 3 []

25X1

SECRET

SECRET

IN. 09155
TOR: 161126Z
OP

25X1

for 1696 (In 09410)

25X1

SECUR

25X1 25X1 25X1
INFO CITE

25X1

1588

1. HTAUTOMAT-3 ASSIGNED LAB AND WORK AREA IN SOUTHERN HALF WESTERN MOST BUILDING PRESENT [] RESTRICTED AREA. ALTERATIONS UNDER WAY TO RENDER SECURE AREA TO INCLUDE INSTALLATION 3 WAY COMBINATION LOCKS 2 ENTRANCES, ENCLOSING ENTIRE HTA WORK AREA ROOM WITH PLYWOOD WALLS AND CEILING AND EVENTUAL INSTALLAZION ACCOUSTICAL TILE, THERE ARE NO WINDOWS. THESE FEATURES COUPLED WITH EXISTING PHYSICAL SECURITY, I. E., LOCATED IN METAL BUTLER BLDG, BEHIND 8 FOOT FENCE, 24 HOUR GUARD COVERAGE ENTIRE COMPOUND AREA WITH ADDITIONAL GUARD COVERAGE AVAILABLE IF NECESSARY, BELIEVED SUFFICIENT FOR SECURE OPERATION. ACCESS TO HTA-3 AREA TO BE RIGIDLY CONTROLLED.

25X1

2. IF ELECTRICAL ALARM SYSTEM COMMERCIALY AVAILABLE AND DEEMED NECESSARY IN ADDITION TO ABOVE MEASURES TO PROTECT HTA-3 AREA WOULD REQUIRE SHIPMENT EQUIPMENT FOR SYSTEM AND TECHNICIAN MAKE INSTALLATION.

3. REQUEST IMMEDIATE SHIPMENT TWO SERGEANT GREENLEAF DOOR LOCKS FOR 2 DOORS THAT OPEN INWARD RIGHT TO LEFT. SPINDLE KEYS, MISSING FROM PREVIOUS SHIPMENTS, ARE NECESSARY.

25X1

4. IF HQS DEEMS APPROPRIATE SUGGEST HTAUTOMAT [] OFFICER VISIT []

25X1

25X1

CFN: 417 1588 [] SECUR HTAUTOMAT-3

25X1

[] 3 2 HTA ACCOUSTICAL I.E. BUTLER 7 24 HTA-3 HTA-3

2 [] 2 HTAUTOMAT [] 25X1

25X1

SECRET